Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
# L4	133	(read\$1only adj access).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Operator OR	OFF	2006/04/15 12:42
L5	70	((input\$1output adj request adj packet) or IRP).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 13:05
L6	1	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 12:43
L7	53	5 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 13:06
L8	2	7 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 12:52
L9	319	fail\$3 with read\$1only	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 12:56
L10	9	9 and ((input\$1output adj request adj packet) or IRP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 12:57
L11	446 ^	(fail\$3 or fault or error) near5 read\$1only	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 12:57

L12	8	11 and ((input\$1output adj request adj packet) or IRP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 12:57
L13	2219	((input\$1output adj request adj packet) or IRP) and (field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 13:06
L14	123	((input\$1output adj request adj packet) or IRP) with (field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 13:06
L15	76	14 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 13:08
L16	2	15 and (read\$1only near5 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 13:08
L17	4	15 and (read\$1only with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 13:08
S1	3	goodwin-kevin-michael.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 12:41
S4	83053	read\$1only with (storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:22

S5	69967	S4 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 11:56
S6	48077	request\$3 with (packet or frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/14 09:52
S7	2538	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 09:53
S8	4978	(determin\$3 or identif\$3 or check\$3 or find\$3 or evaluat\$3) with (access near5 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 09:54
S9	59	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 09:55
S10	61710	(volume near5 (identification or ID or number or sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 09:56
S11	26	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:03
S12	29134	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:04

S13	601	S8 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:05
S14	58	S6 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:06
S15	2	S7 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON [.]	2006/04/14 10:08
S16	1425	S5 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:09
S17	136	S12 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:09
S18	17	S6 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:09
S19	1	read\$1only\$1access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:23
S20	3512	read\$1only near2 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:23

S21	2958	S20 and (@ad<"20040130")	US-PGPUB;	OR	OFF	2006/04/15 12:42
321	2930	320 and (@au< 20040130)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 12:43
S23	158	S10 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 10:25
S24	33	S8 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 10:44
S25	8171	711/4-5,111-112,114-115,161-163. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 10:46
S26	120	S20 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 10:46
S27	99	S21 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 10:47
S28	25	S27 and ((input\$1output or I\$10) near5 request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 11:14
S29	7268	(input\$1output adj request adj packet) or IRP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 12:42

					r 	
S30	22	S8 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:54
S31	95	S10 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:55
S32	5	S20 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:55
S33	43	S25 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:55
S34	37	S33 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:34
S35	5	S20 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:05
S36	535	S29 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:06
S37	19	S20 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:06

S38	22	S8 and S29	US-PGPUB;	OR	OFF	2006/04/14 12:31
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S39	12	S38 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:32
S40	11	S39 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:32
S41	1720	S29 and (@ad<"20040130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:35
542	38	S41 and (access\$3 near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 12:36
S43	26	S42 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:30
S44	11	(establish\$3 or set\$3 or provid\$3) with (read near2 only near2 access\$3) with volume	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:35
S45	79	(read near2 only near2 access\$3) with volume	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:34

S46	5	S29 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:34
S47	621	(establish\$3 or set\$3 or provid\$3) with (read near2 only near2 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:35
S48	6	S29 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/14 13:35